



University of Arizona

---

# THE HEALTHY BODIES STUDY

2014 DATA REPORT

# ABOUT THE HEALTHY BODIES STUDY (HBS)



## STUDY TEAM

Principal Investigators: Sarah Ketchen Lipson, EdM & Daniel Eisenberg, PhD

Research Study Coordinators: Katie Beck & Brandie Semma

## GRAPHIC/LAYOUT DESIGNER

Sarah Fogel  
University of Michigan School of Art and Design, Class of 2014

## REPORT AUTOMATION

Andy Inscore  
Software Engineer



# TABLE OF CONTENTS

STUDY PURPOSE	1
STUDY DESIGN	2
ABOUT THIS REPORT	3
KEY FINDINGS	4
SAMPLE CHARACTERISTICS	5
EATING DISORDER SCREENS	6
BINGE EATING	7
PURGING AND DIETING	8
BODY IMAGE	9
ATTITUDES, KNOWLEDGE, AND CAMPUS CLIMATE	10
USE OF SERVICES	11
OVERALL WELL-BEING AND LIFESTYLE	13
REFERENCES	15
APPENDIX: DESCRIPTIVE STATISTICS FOR HBS SURVEY ITEMS	16

# STUDY PURPOSE

Disordered eating and body image dissatisfaction are common in undergraduate and graduate student populations. Previous campus mental health research has focused primarily on depression, anxiety, suicidality and substance use. Considerably less is known about eating disorders relative to other mental health problems common in student populations. This is particularly true when considering that eating disorders, like other mental health problems, exist along a continuum of severity. Where much attention has been paid to subclinical depression and anxiety in national epidemiological campus-based research, measures of disordered eating have typically been reduced to but a handful of questions about specific behaviors, often described in clinical terms. While important studies have addressed eating disorders in specifically defined student sub-groups (e.g., sorority women, female athletes, students from certain academic departments), these are usually single-site studies with limited generalizability. HBS takes a public health approach by assessing a range of eating and body image measures at the population-level.

An annual web-based survey, HBS aims to understand students' relationships with eating, dieting, exercising, and body image, and how these relationships, in turn, fit into a larger picture of student health and well-being. HBS seeks to explore the prevalence and correlates of disordered eating and body image dissatisfaction, and the extent to which students with apparent need are utilizing mental health resources. Through close collaborations with campus practitioners and national mental health organizations, HBS researchers strive to inform policy and practice on college and university campuses.

HBS is administered to a randomly selected sample of undergraduate and graduate students at participating institutions. An important contribution to the field of college student mental health, HBS addresses the diversity of disordered eating behaviors and attitudes among the diversity of students on college and university campuses today.

## **HBS is guided by a set of key research objectives:**

- To investigate the prevalence of disordered eating among college and university students.
- To draw correlations between individual characteristics and students' attitudes and behaviors around eating, dieting, exercising, and body image.
- To gather the student perspective, including fears and concerns, knowledge, and factors that inform their decisions around eating.
- To examine relationships between disordered eating and other important aspects of well-being.
- To explore campus environments and norms around eating and body image.
- To understand the impact of unhealthy attitudes and behaviors on all aspects of students' lives (academic, athletic, extracurricular, social, personal, etc.) and the help-seeking behaviors and preferences of students.
- To collect data that can inform programming and policies that will benefit college and university communities.

# STUDY DESIGN

The Healthy Bodies Study is designed to protect the privacy and confidentiality of participants. HBS is approved by the Health Sciences and Behavioral Sciences Institutional Review Board at University of Michigan. To further protect respondent privacy, the study is covered by a Certificate of Confidentiality from the National Institutes of Health.

## SAMPLING

Each participating school provides the HBS team with a randomly selected sample of up to 4,000 currently enrolled students who are at least 18 years of age. Most schools choose to sample both undergraduate and graduate students.

## DATA COLLECTION

HBS is a web-based survey. Students are invited and reminded to participate in the survey via emails, which are timed to avoid, if at all possible, the first two weeks of the term, the last week of the term, and any major holidays. The data collection protocol begins with an email invitation, and non-responders are contacted up to three times by email reminders spaced 3-7 days each. Reminders are only sent to those who have not yet completed the survey. Each communication contains a unique survey link. The HBS survey takes approximately 20 minutes to complete. Based on embedded skip logic, some measures are assessed only for students with certain responses to survey items. Students may skip any questions that make them uncomfortable, or that they simply do not wish to answer.

## NON-RESPONSE ANALYSIS

A potential concern in any survey study is that those who respond to the survey will not be fully representative of the population from which they are drawn. In HBS, we can be confident that those who are invited to fill out the survey are representative of the full student population because these students are randomly selected from the full list of currently enrolled students. However, it is still possible that those who actually complete the survey are different in important ways from those who do not complete the survey. The overall participation rate for the 2014 study was 18.8%. It is important to raise the question of whether the 18.8% who participated are different in important ways from the 81.2% who did not participate. We address this issue by constructing non-response weights using administrative data on full student populations. Most schools in the 2014 HBS were able to provide administrative data about all randomly selected students. The analysis of these administrative data, separated from any identifying information, was approved in the IRB application at the University of Michigan and at each participating school. We used the following variables, where available, to estimate which types of students were more or less likely to respond: gender, race/ethnicity, academic level, and grade point average. We used these variables to estimate the response propensity of each type of student (based on multivariate logistic regressions), and then assigned response propensity weights to each student who completed the survey. The less likely a type of student was to complete the survey, the larger the weight they received in the analysis, such that the weighted estimates are representative of the full student population in terms of the administrative variables available for each institution. Finally, note that these sample weights give equal aggregate weight to each school in the national estimates. An alternative would have been to assign weights in proportion to school size, but we decided that we did not want our overall national estimates to be dominated by schools in our sample with very large enrollments.

# ABOUT THIS REPORT

This data report provides descriptive statistics (percentages, mean values, etc.) from the sample of respondents at your institution for a set of key measures. The findings are stratified by gender (all students, females, males). In addition to the key measures highlighted in this report, an appendix is also included with descriptive statistics for most survey items (see below).

## APPENDIX

The appendix includes values for most measures in the survey. For each measure, the table displays the following information: the value for your institution (for all students, for male students, for female students), the 95% confidence interval for your institution's value, the value for the national sample, and an indicator if your institution's value is significantly different from the national value. All values in the appendix have been weighted to be representative of the full student populations to which they refer (see Non-response Analysis). Also note that for some measures, respondents were allowed to check more than one response category (e.g., they might have gone to more than one type of provider for mental health services), so the proportions sometimes add up to more than 1.00 across response categories. The 95% confidence intervals give a sense of how much uncertainty there is about each estimated value. This uncertainty exists because our estimates are based only on a random sample of students, rather than a complete census of the student population. However, some schools that had less than 4,000 students (the typical requested sample size), provided their entire population. For consistency sake, these schools were not treated any differently than those schools that provided a 4,000 student sample of their full population. Essentially, the confidence interval tells us that there is a 95% probability that the true population value is within this particular range. Because both the school-level and national values are only estimates based on random sampling, we cannot say for certain that your institution's true value is above or below the national value. But in cases where we can say that there is a 95% or higher statistical probability that your institution's value is significantly different from the national value, we indicate this.

## CUSTOM QUESTIONS

A separate table of results is provided for any custom questions provided by your institution.

## EXPLORING YOUR DATA FURTHER

There are two options for exploring your data beyond what is in this report. First, you can use statistical software (e.g., SPSS, SAS, Stata, etc.) to analyze the full data set for your students, which has been provided to your school. Second, you can use a user-friendly website with drop-down menus, at [data.healthymindsnetwork.org](http://data.healthymindsnetwork.org). A login and password has been provided to your school, giving you access to your school's data on this site. The site makes it easy to create charts displaying statistics for your students by sub-population (e.g., male versus female) and in comparison to other schools.

# KEY FINDINGS


This section offers a quick look at results that may be of special interest to your institution.

Estimated values of selected measures for University of Arizona	Proportion of students
Positive screen for clinically significant eating disorders (EDE global score $\geq 4$ )	3%
Any binge eating (past month)	43%
Any purging (e.g., vomiting, laxatives, diuretics, diet pills, compulsive exercise) (past month)	32%
Dieting (50% or more of past year)	13%
Diagnosed eating disorders (lifetime)	3%
Eating disorder treatment (therapy/counseling) (past year)	5%
Eating disorder treatment (therapy/counseling) among students with positive eating disorder screens (past year)	27%
Depression (positive PHQ screen)	15%
Anxiety (positive PHQ screen)	24%
Suicidal ideation (past year)	7%




# SAMPLE CHARACTERISTICS (N=1145)



**Age (years)**



**Gender**





**Race**





**Ethnicity**



**Living arrangement**



**Degree program**




# EATING DISORDER SCREENS


## EATING DISORDER SYMPTOMS

Eating disorders are measured by the Eating Disorder Examination Questionnaire (EDE-Q), a self-report questionnaire assessing symptoms of eating disorder psychopathology over the past 28 days (Fairburn, Cooper, & O'Connor, 2008). The EDE-Q contains four sub-scales (restraint, eating concerns, shape concerns, weight concerns) and a global scale. Findings for the global scale and one item from each subscale are presented below.

### Eating disorders, global score (range: 0-6)




### Positive screen for clinically significant eating disorders (EDE global score $\geq 4$ )




### Eating concerns ( $\geq 1$ day)

On how many of the past 28 days has thinking about food, eating or calories made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?




### Restraint ( $\geq 1$ day)

On how many of the past 28 days have you been deliberately trying to limit the amount of food you eat to influence your shape or weight (whether or not you have succeeded)?




### Shape concerns ( $\geq 1$ day)

On how many of the past 28 days have you had a definite fear that you might gain weight?



### Weight concerns ( $\geq 1$ day)

On how many of the past 28 days have you had a strong desire to lose weight?




# BINGE EATING

Binge eating over the past 28 days is measured by three items from the EDE-Q.


## Overeating ( $\geq 1$ day)

Over the past four weeks (28 days) how many times have you eaten what other people would regard as an unusually large amount of food (given the circumstances)?




## Loss of control ( $\geq 1$ day)

Over the past four weeks (28 days) on how many of these times did you have a sense of having lost control over your eating (at the time that you were eating)?



## Overeating and loss of control ( $\geq 1$ day)

Over the past four weeks (28 days) on how many days have such episodes of overeating occurred (i.e., you have eaten an unusually large amount of food and have had a sense of loss of control at the time)?




# PURGING AND DIETING

## PURGING

Purging over the past 28 days is measured by three items from the EDE-Q.


### Vomiting (≥1 day)

Over the past four weeks (28 days) how many times have you made yourself sick (vomit) as a means of controlling your shape or weight?




### Laxatives, diuretics, and/or diet pills (≥1 day)

Over the past four weeks (28 days) how many times have you taken laxatives, diuretics (water pills), or diet pills as a means of controlling your shape or weight?



### Compulsive exercising (≥1 day)

Over the past four weeks (28 days) how many times have you exercised in a "driven" or "compulsive" way as a means of controlling your weight, shape or amount of fat, or to burn off calories?






## DIETING

### Dieting, past year


For about what percentage of the last 12 months were you on a diet (if at all)?

*By 'diet' we mean trying to limit the quantity or types of foods and drinks you consume in order to influence your body shape or weight (regardless of whether you think it was successful).*




# BODY IMAGE

## Body Mass Index (calculated based on students' self-reported height and weight)



## Changes in concern over body shape and weight

I have become more concerned about my body shape and weight since I began as a student at my school.



## Body shape and weight concerns




Importance of body shape and weight compared to other things in life (more/most important)

All Students



I am worried about gaining the "freshman fifteen" (asked only of first-year undergraduates).

All Students




		A	B	C	D	E	F	G	H	I	J
From the figures above, which is closest to how you CURRENTLY look?	Female	13%	32%	32%	10%	6%	3%	2%	1%	0%	0%
	Male	10%	29%	26%	15%	11%	6%	1%	1%	0%	1%
From the figures above, which is closest to how you would IDEALLY like to look?	Female	37%	48%	14%	1%	0%	0%	0%	0%	0%	0%
	Male	0%	45%	27%	24%	4%	0%	0%	0%	0%	0%

# ATTITUDES, KNOWLEDGE, AND CAMPUS CLIMATE


## ATTITUDES

### Public perceived stigma

Most students at my school would think less of a person with an eating disorder.




My friends would think less of a person with an eating disorder.



### Personal stigma


I would think less of a person with an eating disorder.



## KNOWLEDGE

### Knowledge of campus mental health resources

I know where students at my school could go on campus to receive support for problems related to eating and/or body image.




Which of the following topics do you think are important for students at your school to know more about?


45%	How to help a friend with eating and body image issues
46%	Signs of an eating disorder (anorexia nervosa, bulimia nervosa, binge eating disorder, etc.)
55%	Relationship between eating and mental health
51%	Healthy exercise habits
40%	Eating and body image resources available for students
73%	Risks associated with unhealthy eating
72%	Relationship between eating and alcohol/substance abuse
46%	Healthy nutrition
3%	None of these

## CAMPUS CLIMATE

At my school, I feel that students' mental and emotional well-being is a priority.




At my school, I feel that the campus environment has a negative impact on students' eating and body image.



## USE OF SERVICES


### Perceived need (past year)

In the last 12 months, I think I needed help such as counseling or therapy for issues related to eating and/or body image.



### Eating disorder counseling/therapy, all students (past year)


Over the last 12 months, have you received counseling or therapy for issues related to eating and/or body image from a health professional (such as a psychiatrist, psychologist, therapist, social worker, nutritionist, or primary care doctor)?



### Eating disorder counseling/therapy among students with positive eating disorder screens (past year)

Over the last 12 months, have you received counseling or therapy for issues related to eating and/or body image from a health professional (such as a psychiatrist, psychologist, therapist, social worker, nutritionist, or primary care doctor)?

All Students



# USE OF SERVICES (CONTINUED)

## Barriers to help-seeking

Which of the following reasons are most important in explaining why you have not received counseling or therapy for your eating and/or body image concerns? (Select three reasons that are most important)

3%	I worry about what others will think of me.
3%	Issues related to eating and body image are normal in college.
1%	Issues related to eating and body image are normal in graduate school.
11%	I'm not sure how serious my needs are.
4%	I don't know what resources are available to me.
11%	I don't have time.
21%	I prefer to deal with issues on my own.
10%	I get a lot of support from other sources, such as family and friends.
5%	The problem will get better without counseling or therapy.
1%	I worry I will be pressured to lose weight.
0%	I worry I will be pressured to gain weight.
8%	There are financial reasons (too expensive, insurance won't cover what I need).
1%	People providing services aren't sensitive enough to cultural diversity.
0%	People providing services aren't sensitive enough to sexual or gender identities.
1%	I worry that my visit will be documented on my academic or medical record.
1%	I worry that someone will notify my parents (or that they will see my visit on their insurance).
1%	I worry that people providing services will judge me.
2%	I haven't had the chance to go but I plan to.
38%	I have not had a need for counseling or therapy.
0%	I worry I will lose my athletic scholarship or I will not be able to participate in my sport.
4%	Other

## Informal help-seeking

Over the last 12 months, have you discussed concerns about your own eating and/or body image with any of the people listed below? (Select all that apply)

18%	Roommate
39%	Friend (who is not a roommate)
10%	Classmate
1%	Professor
1%	Staff member in my academic department
2%	Boss, supervisor, manager
8%	Co-worker, colleague
31%	Significant other (boyfriend, girlfriend, partner, etc.)
33%	Family member
0%	Religious counselor or other religious contact
0%	No, none of these




# OVERALL WELL-BEING AND LIFESTYLE


## DEPRESSION AND ANXIETY SCREENS

Depression and anxiety are measured using the Patient Health Questionnaire-4 (PHQ-4), a four-item screen measuring two core symptoms of major depression and two core symptoms of generalized anxiety (Kroenke, Spitzer, Williams, & Löwe, 2009).

### Depression (positive/negative)




### Anxiety (positive/negative)



## SUBSTANCE USE

### Cigarette smoking

Over the last 2 weeks, about how many cigarettes did you smoke per day?



### Drug use


Over the last 12 months, have you used any of the following drugs? (Select all that apply)

21%	Marijuana
2%	Cocaine (any form, including crack, powder, or freebase)
0%	Heroin
0%	Methamphetamines (also known as speed, crystal meth, or ice)
4%	Other stimulants (such as Ritalin, Adderall) without a prescription
1%	Ecstasy
2%	Other drugs without a prescription
76%	No, none of these.

### Binge drinking

Over the last 2 weeks, about how many times did you have 4 (female), 5 (male), 4 or 5 (other gender) or more alcoholic drinks in a row?


1 drink is a can of beer, a glass of wine, a wine cooler, a shot of liquor, or a mixed drink.



# OVERALL WELL-BEING AND LIFESTYLE (CONTINUED)


## SUICIDALITY

### Suicidal ideation (past year)




### Suicide plan (past year)

Among students with ideation



### Suicide attempt (past year)

Among students with ideation



## LIFETIME DIAGNOSES OF MENTAL DISORDERS

### All Mental Disorders

Have you ever been diagnosed with any of the following psychological conditions? (Select all that apply)

3%	Eating disorder (such as anorexia nervosa, bulimia nervosa, binge eating disorder)
18%	Depression or other mood disorder (such as major depressive disorder, bipolar/manic depression, dysthymia)
17%	Anxiety (such as generalized anxiety disorder, phobias, obsessive-compulsive disorder, post-traumatic stress disorder)
7%	Attention disorder or learning disability (such as attention deficit disorder, attention deficit hyperactivity disorder)
0%	Psychosis (such as schizophrenia, schizo-affective disorder)
1%	Personality disorder (such as antisocial personality disorder, paranoid personality disorder, schizoid personality disorder)
1%	Substance abuse disorder (such as alcohol abuse, abuse of other drugs)
71%	No, none of these.

### Specific eating disorder diagnoses

Specifically what type of eating disorder were you diagnosed with? (asked only of students with an eating disorder diagnosis) (Select all that apply)

53%	Anorexia nervosa
34%	Bulimia nervosa
28%	Binge eating disorder
18%	Eating disorder not otherwise specified
4%	I don't know.
5%	Other

# REFERENCES

Fairburn, C.G., Cooper, Z., & O'Connor, M.E. (2008). Eating Disorder Examination (16.0D). In: Fairburn, C.G., editor. Cognitive Behavior Therapy and Eating Disorders. Guilford Press. New York.

Kroenke, K., Spitzer, R. L., Williams, J. B., & Lowe, B. (2009). An ultra-brief screening scale for anxiety and depression: the PHQ-4. *Psychosomatics*, 50(6), 613-621.

Email: [healthybodies@umich.edu](mailto:healthybodies@umich.edu)

Website: [www.healthybodiesstudy.org](http://www.healthybodiesstudy.org)



# APPENDIX: DESCRIPTIVE STATISTICS FOR HBS SURVEY ITEMS

## RESPONDENT CHARACTERISTICS

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>Response rate</i>	14%					
<i>Sample size</i>	1145					
<b>Age</b>						
18-22 years	52%	58%	47%	(49%, 56%)	63%	X
23-25 years	17%	14%	19%	(14%, 19%)	15%	
26-30 years	18%	15%	20%	(15%, 20%)	14%	X
31+ years	13%	13%	14%	(11%, 15%)	8%	X
<b>Gender</b>						
Female	52%	100%	0%	(49%, 56%)	54%	
Male	47%	0%	100%	(44%, 51%)	45%	
Transgender, female-to-male	0%	0%	0%	(0%, 0%)	0%	
Transgender, male-to-female	0%	0%	0%	(0%, 0%)	0%	
Genderqueer/gender non-conforming	0%	0%	0%	(0%, 1%)	1%	
Other	0%	0%	0%	(0%, 0%)	0%	
<b>Sexual orientation</b>						
Straight (heterosexual)	89%	89%	90%	(87%, 91%)	87%	
Bisexual	4%	6%	3%	(3%, 6%)	4%	
Gay or lesbian	3%	1%	6%	(2%, 5%)	4%	
Questioning	1%	1%	0%	(0%, 2%)	2%	X
Other	2%	2%	1%	(1%, 3%)	2%	
<b>Relationship status</b>						
Single	45%	40%	50%	(41%, 48%)	50%	X
In a relationship	38%	40%	34%	(34%, 41%)	35%	
Married, in a domestic partnership, or engaged	16%	18%	14%	(14%, 19%)	13%	X
Divorced or separated	0%	0%	1%	(0%, 1%)	0%	
Widowed	0%	0%	0%	(0%, 0%)	0%	
Other	1%	1%	1%	(0%, 1%)	1%	
<b>Ethnicity</b>						
Hispanic, Latino/a, or Spanish origin	21%	22%	20%	(18%, 24%)	10%	X
<b>Race (select all that apply)</b>						
White or Caucasian	71%	73%	69%	(68%, 74%)	75%	X
Black or African American	6%	4%	7%	(4%, 7%)	6%	
Asian or Asian American	13%	13%	13%	(10%, 15%)	15%	
American Indian, Native American, or Alaskan Native	4%	3%	5%	(2%, 5%)	2%	X
Middle Eastern, Arab, or Arab American	2%	2%	2%	(1%, 3%)	2%	
Pacific Islander	1%	1%	0%	(0%, 1%)	1%	
Hawaiian Native	0%	0%	0%	(0%, 0%)	0%	
Other	8%	9%	7%	(6%, 10%)	5%	X
<b>Citizenship</b>						
U.S.	91%	96%	86%	(89%, 93%)	82%	X
International	9%	4%	14%	(7%, 11%)	18%	X

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<b>Parental education</b>						
Mother, less than a bachelor's degree	47%	46%	48%	(44%, 50%)	38%	X
Mother, at least a bachelor's degree	53%	54%	52%	(50%, 56%)	62%	X
Father, less than a bachelor's degree	43%	42%	44%	(40%, 47%)	35%	X
Father, at least a bachelor's degree	57%	58%	56%	(53%, 60%)	65%	X
<b>Socioeconomic background</b>						
Well to do	14%	15%	14%	(12%, 16%)	19%	X
Comfortable	51%	52%	50%	(48%, 55%)	54%	
Had enough to get by but not many "extras"	30%	29%	31%	(27%, 33%)	24%	X
Very poor, not enough to get by	4%	4%	5%	(3%, 6%)	3%	X
<b>Importance of religion</b>						
Very important/important	31%	33%	28%	(28%, 34%)	31%	
<b>Residence</b>						
On-campus housing, residence hall	14%	15%	13%	(12%, 16%)	22%	X
On-campus housing, apartment	3%	4%	3%	(2%, 4%)	9%	X
Fraternity or sorority house (asked only of undergraduates)	1%	1%	1%	(1%, 2%)	2%	
On-/off-campus co-operative housing	2%	2%	3%	(1%, 3%)	1%	X
Off-campus, non-university housing	71%	71%	71%	(68%, 74%)	57%	X
With my parents (or relatives) (asked only of undergraduates)	8%	7%	8%	(6%, 10%)	7%	
Other	1%	0%	1%	(0%, 1%)	1%	
<b>Campus activities (select all that apply)</b>						
Academic/pre-professional	31%	35%	27%	(28%, 34%)	32%	
Athletics (club) (asked only of undergraduates)	5%	3%	6%	(3%, 6%)	8%	X
Athletics (intercollegiate varsity) (asked only of undergraduates)	1%	1%	1%	(0%, 1%)	2%	X
Athletics (intramural)	9%	6%	12%	(7%, 11%)	14%	X
Community service	18%	22%	13%	(15%, 20%)	21%	X
Cultural or racial organization	4%	6%	2%	(3%, 6%)	6%	X
Dance	3%	4%	1%	(2%, 3%)	4%	X
Fraternity or sorority (asked only of undergraduates)	7%	9%	5%	(6%, 9%)	9%	X
Gender or sexuality organization	2%	3%	1%	(1%, 3%)	3%	X
Government or politics (including student government)	3%	4%	2%	(2%, 5%)	5%	
Health and wellness organization	6%	8%	5%	(5%, 8%)	7%	
Media or publications	2%	2%	2%	(1%, 3%)	3%	X
Music or drama	4%	4%	5%	(3%, 6%)	6%	X
Religious organization	6%	7%	6%	(5%, 8%)	9%	X
Social organization (that is not a fraternity or sorority)	7%	6%	8%	(5%, 9%)	10%	X
Visual or fine arts	3%	4%	3%	(2%, 5%)	7%	X
Other	6%	5%	7%	(4%, 8%)	6%	
None (mutually exclusive)	34%	32%	36%	(31%, 37%)	26%	X
<b>Degree program (select all that apply)</b>						
Bachelor's	61%	63%	58%	(57%, 64%)	72%	X
Master's	14%	13%	14%	(12%, 16%)	13%	
JD	3%	2%	4%	(2%, 4%)	2%	
MD	4%	3%	5%	(3%, 5%)	3%	X
PhD (or equivalent doctoral program)	17%	17%	17%	(15%, 19%)	9%	X
Other	3%	3%	2%	(2%, 4%)	2%	X

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<b>Year in program</b>						
1st	31%	28%	35%	(28%, 34%)	28%	
2nd	25%	26%	23%	(22%, 28%)	23%	
3rd	22%	23%	20%	(19%, 24%)	23%	
4th	17%	16%	17%	(14%, 19%)	21%	X
5th	4%	4%	3%	(2%, 5%)	4%	
6th	1%	1%	1%	(0%, 2%)	1%	
7th+	1%	1%	1%	(1%, 2%)	1%	
<b>Field of study (select all that apply)</b>						
Humanities	8%	11%	6%	(7%, 10%)	11%	X
Natural sciences or mathematics	17%	16%	19%	(15%, 20%)	17%	
Social sciences	15%	19%	11%	(13%, 17%)	16%	
Architecture or urban planning	1%	1%	1%	(0%, 1%)	1%	
Art and design	1%	2%	1%	(1%, 2%)	12%	X
Business	10%	7%	13%	(8%, 12%)	13%	X
Dentistry (not asked of undergraduates)	0%	0%	0%	(0%, 0%)	0%	
Education	4%	6%	2%	(3%, 5%)	4%	
Engineering	12%	6%	19%	(10%, 15%)	8%	X
Law (not asked of undergraduates)	3%	2%	4%	(2%, 4%)	2%	
Medicine (not asked of undergraduates)	5%	4%	5%	(3%, 6%)	4%	X
Music, theatre, or dance	3%	3%	4%	(2%, 4%)	2%	
Natural resources and environment	2%	2%	2%	(1%, 3%)	2%	
Nursing	4%	7%	1%	(3%, 5%)	3%	X
Pharmacy	3%	4%	2%	(2%, 4%)	1%	X
Pre-professional (pre-business, pre-health, pre-law) (asked only of undergraduates)	7%	10%	5%	(6%, 9%)	7%	
Public health	7%	9%	4%	(5%, 8%)	6%	
Public policy	3%	1%	5%	(2%, 4%)	2%	X
Social work (not asked of undergraduates)	0%	0%	0%	(0%, 0%)	1%	X
Undecided (asked only of undergraduates)	1%	2%	1%	(1%, 2%)	1%	
Other	9%	11%	7%	(7%, 11%)	8%	

### BODY IMAGE

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>I have become more concerned about my body shape and weight since I began as a student at University of Arizona.</i> Strongly agree/agree	43%	48%	38%	(40%, 46%)	43%	
<i>I feel competitive or jealous when I see someone I think has a better body than me.</i> Completely true/mostly true	36%	41%	30%	(32%, 39%)	34%	

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>In your opinion, which of the categories most closely describes your current weight?</i>						
Very underweight	1%	0%	1%	(0%, 1%)	1%	
Underweight	10%	8%	14%	(8%, 13%)	8%	X
Normal	64%	65%	63%	(61%, 67%)	67%	
Overweight	22%	24%	19%	(19%, 25%)	23%	
Obese	3%	3%	3%	(2%, 4%)	2%	
<i>About how often do you weigh yourself?</i>						
More than once per day/once per day	7%	9%	6%	(6%, 9%)	7%	
<i>Current body mass index (BMI), calculated based on students' self-reported height and weight</i>						
Mean	23.9	23.4	24.5	(23.6, 24.2)	23.8	
<i>Ideal BMI, calculated based on students' self-reported height and desired weight</i>						
Mean	22.3	20.8	24.0	(22.1, 22.5)	22.2	

### EATING DISORDER SCREEN (Eating Disorder Examination Questionnaire)

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>EDE-Q global scale score (range: 0-6)</i>						
Mean	1.3	1.6	0.9	(1.2, 1.4)	1.4	X
<i>EDE-Q global scale Positive</i>						
	3%	6%	1%	(2%, 4%)	4%	X
<i>EDE-Q global scale score ≥1</i>						
	48%	60%	35%	(45%, 51%)	51%	
<i>EDE-Q restraint sub-scale score (range: 0-6)</i>						
Mean	1.3	1.5	1.1	(1.2, 1.4)	1.4	X
<i>EDE-Q restraint sub-scale score ≥1</i>						
	49%	55%	42%	(46%, 52%)	53%	X
<i>EDE-Q shape concerns sub-scale score (range: 0-6)</i>						
Mean	1.9	2.3	1.4	(1.8, 2.0)	2.0	
<i>EDE-Q shape concerns sub-scale score ≥1</i>						
	64%	74%	54%	(61%, 68%)	65%	
<i>EDE-Q eating concerns sub-scale score (range: 0-6)</i>						
Mean	0.5	0.7	0.3	(0.5, 0.6)	0.6	X

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>EDE-Q eating concerns sub-scale score</i> ≥1	20%	27%	11%	(17%, 22%)	21%	
<i>EDE-Q weight concerns sub-scale score (range: 0-6)</i> Mean	1.4	1.9	1.0	(1.4, 1.5)	1.5	X
<i>EDE-Q weight concerns sub-scale score</i> ≥1	51%	63%	39%	(48%, 55%)	54%	
<i>On how many of the past 28 days, have you been deliberately trying to limit the amount of food you eat to influence your shape or weight (whether or not you have succeeded)?</i> ≥1 day	58%	68%	47%	(54%, 61%)	61%	X
<i>On how many of the past 28 days, have you gone for long periods of time (8 waking hours or more) without eating anything at all in order to influence your shape or weight?</i> ≥1 day	15%	17%	13%	(13%, 17%)	17%	
<i>On how many of the past 28 days, have you tried to exclude from your diet any foods that you like in order to influence your shape or weight (whether or not you have succeeded)?</i> ≥1 day	68%	74%	61%	(65%, 71%)	70%	
<i>On how many of the past 28 days, have you tried to follow definite rules regarding your eating (for example, a calorie limit) in order to influence your shape or weight (whether or not you have succeeded)?</i> ≥1 day	47%	53%	41%	(44%, 51%)	47%	
<i>On how many of the past 28 days, have you had a definite desire to have an empty stomach with the aim of influencing your shape or weight?</i> ≥1 day	20%	26%	14%	(17%, 22%)	21%	
<i>On how many of the past 28 days, have you had a definite desire to have a totally flat stomach?</i> ≥1 day	71%	81%	60%	(67%, 74%)	69%	



MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>On how many of the past 28 days, has thinking about food, eating or calories made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?</i> ≥1 day	27%	34%	19%	(24%, 30%)	30%	X
<i>On how many of the past 28 days, has thinking about shape or weight made it very difficult to concentrate on things you are interested in (for example, working, following a conversation, or reading)?</i> ≥1 day	25%	32%	17%	(22%, 28%)	27%	
<i>On how many of the past 28 days, have you had a definite fear of losing control over eating?</i> ≥1 day	27%	35%	19%	(25%, 30%)	29%	
<i>On how many of the past 28 days, have you had a definite fear that you might gain weight?</i> ≥1 day	50%	61%	37%	(46%, 53%)	53%	
<i>On how many of the past 28 days, have you felt fat?</i> ≥1 day	69%	82%	55%	(66%, 72%)	69%	
<i>On how many of the past 28 days, have you had a strong desire to lose weight?</i> ≥1 day	63%	76%	48%	(60%, 66%)	65%	
<i>Over the past 28 days, on how many days have you eaten in secret?</i> ≥1 day	18%	24%	10%	(15%, 20%)	19%	
<i>On what proportion of the times that you have eaten have you felt guilty (felt that you've done wrong) because of its effect on your shape or weight?</i> Every time/most of the time/more than half	34%	41%	17%	(27%, 41%)	45%	X
<i>Over the past 28 days, how concerned have you been about other people seeing you eat? (range: 0 (not at all)-6 (markedly))</i> 4 (moderately)/5/6 (markedly)	6%	8%	3%	(4%, 7%)	7%	
<i>Over the past 28 days, has your weight influenced how you think about (judge) yourself as a person? (range: 0 (not at all)-6 (markedly))</i> 4 (moderately)/5/6 (markedly)	20%	28%	11%	(17%, 22%)	22%	

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>Over the past 28 days, has your shape influenced how you think about (judge) yourself as a person? (range: 0 (not at all)-6 (markedly))</i> 4 (moderately)/5/6 (markedly)	24%	30%	18%	(22%, 27%)	27%	
<i>Over the past 28 days, how much would it have upset you if you were asked to weigh yourself once a week (no more, or less, often) for the next four weeks? (range: 0 (not at all)-6 (markedly))</i> 4 (moderately)/5/6 (markedly)	10%	15%	4%	(8%, 11%)	11%	
<i>Over the past 28 days, how dissatisfied have you been with your weight? (range: 0 (not at all)-6 (markedly))</i> 4 (moderately)/5/6 (markedly)	28%	36%	18%	(25%, 30%)	29%	
<i>Over the past 28 days, how dissatisfied have you been with your shape? (range: 0 (not at all)-6 (markedly))</i> 4 (moderately)/5/6 (markedly)	31%	38%	23%	(28%, 34%)	33%	
<i>Over the past 28 days, how uncomfortable have you felt seeing your body (for example, seeing your shape in the mirror, in a shop window reflection, while undressing or taking a bath or shower)? (range: 0 (not at all)-6 (markedly))</i> 4 (moderately)/5/6 (markedly)	25%	33%	17%	(22%, 28%)	26%	
<i>Over the past 28 days, how uncomfortable have you felt about others seeing your shape or figure (for example, in communal changing rooms, when swimming, or wearing tight clothes)? (range: 0 (not at all)-6 (markedly))</i> 4 (moderately)/5/6 (markedly)	29%	37%	20%	(26%, 32%)	29%	

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<b>BINGE EATING</b>						
<i>Over the past four weeks (28 days), how many times have you eaten what other people would regard as an unusually large amount of food (given the circumstances)?</i> ≥1 day	49%	50%	48%	(46%, 53%)	59%	X
<i>Over the past four weeks (28 days), on how many of these times did you have a sense of having lost control over your eating (at the time that you were eating)? (please leave blank if not applicable)</i> ≥1 day	36%	48%	22%	(32%, 39%)	40%	X
<i>Over the past four weeks (28 days), on how many days have such episodes of overeating occurred (i.e., you have eaten an unusually large amount of food and have had a sense of loss of control at the time)? (please leave blank if not applicable)</i> ≥1 day	43%	53%	32%	(39%, 47%)	47%	X

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<b>PURGING</b>						
<i>Over the past four weeks (28 days), how many times have you made yourself sick (vomit) as a means of controlling your shape or weight?</i> ≥1 time	5%	7%	3%	(4%, 6%)	4%	
<i>Over the past four weeks (28 days), how many times have you taken laxatives as a means of controlling your shape or weight?</i> ≥1 time	3%	5%	1%	(2%, 4%)	2%	
<i>Over the past four weeks (28 days), how many times have you taken diuretics (water pills) or diet pills as a means of controlling your shape or weight?</i> ≥1 time	4%	5%	2%	(3%, 5%)	3%	
<i>Over the past four weeks (28 days), how many times have you exercised in a "driven" or "compulsive" way as a means of controlling your weight, shape or amount of fat, or to burn off calories?</i> ≥1 time	29%	30%	28%	(26%, 32%)	27%	

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
---------	--------------	---------	-------	-------------------------	-----------------	--

### EATING HABITS/ATTITUDES

<i>Do the following eating practices apply to you?</i> I am a vegetarian. I am vegan. I eat raw food (most of or all the time).	9% 2% 5%	12% 2% 7%	5% 1% 3%	(7%, 11%) (1%, 2%) (4%, 7%)	9% 1% 5%	
<i>My eating habits have changed a lot since I began as a student at University of Arizona.</i> Strongly agree/agree	52%	54%	49%	(48%, 55%)	53%	
<i>For about what percentage of the last 12 months were you on a diet (if at all)?</i> >50%	13%	16%	9%	(11%, 15%)	16%	X
<i>How often do you typically know the nutrition facts (for example, fat, fiber, carbohydrates, protein) about the foods and drinks you consume before you consume them?</i> Always/usually	48%	48%	47%	(44%, 51%)	44%	
<i>How often do you typically know the number of calories in the foods and drinks you consume before you consume them?</i> Always/usually	37%	39%	35%	(34%, 40%)	34%	
<i>How often do you typically count the calories that you consume?</i> Always/usually	14%	18%	10%	(12%, 16%)	13%	
<i>I am satisfied with my current eating habits.</i> Very like me/like me	55%	51%	59%	(51%, 58%)	52%	
<i>How hungry I feel determines how much I eat.</i> Very like me/like me	65%	63%	67%	(62%, 68%)	68%	

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<b>EXERCISING</b>						
<i>My exercise habits have changed a lot since I began as a student at University of Arizona.</i> Strongly agree/agree	58%	58%	58%	(55%, 61%)	55%	
<i>How have your exercise habits changed since you began as a student at University of Arizona. (among students who strongly agreed/agreed that their exercise habits had changed)</i> I exercise more now. I exercise less now. Other	60% 34% 6%	59% 36% 6%	62% 32% 6%	(56%, 65%) (30%, 38%) (4%, 8%)	56% 37% 6%	
<i>I exercise because I want to influence my body shape or weight. (among students who reported any exercise in the past month)</i> Very like me/like me	91%	92%	89%	(87%, 95%)	90%	
<i>I am very focused on burning calories when I exercise. (among students who reported any exercise in the past month)</i> Very like me/like me	51%	64%	35%	(44%, 57%)	56%	
<i>If I eat or drink something that could make me gain weight, I exercise to make up for this. (among students who reported any exercise in the past month)</i> Very like me/like me	35%	42%	26%	(29%, 41%)	35%	
<i>If I can't exercise, I feel out of control. (among students who reported any exercise in the past month)</i> Very like me/like me	42%	47%	36%	(36%, 48%)	39%	
<i>I exercise to build muscle. (among students who reported any exercise in the past month)</i> Very like me/like me	72%	64%	81%	(66%, 77%)	66%	

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
---------	--------------	---------	-------	-------------------------	-----------------	--

### CAMPUS CLIMATE

<i>At University of Arizona, I feel that students' mental and emotional well-being is a priority.</i> Strongly agree/agree	57%	56%	58%	(54%, 60%)	55%	
<i>At University of Arizona, I feel that the campus environment has a negative impact on students' eating and body image.</i> Strongly agree/agree	35%	36%	33%	(31%, 38%)	28%	X

### STIGMA

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
---------	--------------	---------	-------	-------------------------	-----------------	--

<i>Most students at University of Arizona would think less of a person with an eating disorder.</i> Completely true/mostly true	29%	27%	32%	(26%, 32%)	24%	X
<i>My friends would think less of a person with an eating disorder.</i> Completely true/mostly true	18%	18%	18%	(15%, 20%)	15%	X
<i>I would think less of a person with an eating disorder.</i> Completely true/mostly true	11%	9%	14%	(9%, 13%)	8%	X

### KNOWLEDGE

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
---------	--------------	---------	-------	-------------------------	-----------------	--

<i>I know the signs and symptoms of an eating disorder.</i> Strongly agree/agree	66%	75%	55%	(62%, 69%)	65%	
<i>Are you aware of eating disorder outreach efforts on your campus?</i> Yes	30%	35%	25%	(27%, 33%)	26%	X
<i>I know where a University of Arizona student could go on campus to receive support for problems related to eating and/or body image.</i> Strongly agree/agree	41%	45%	35%	(37%, 44%)	41%	

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>Which of the following topics do you think are important for University of Arizona students to know more about? (select all that apply)</i>						
How to help a friend with eating and body image issues	45%	52%	37%	(42%, 48%)	49%	X
Signs of an eating disorder (anorexia nervosa, bulimia nervosa, binge eating disorder, etc.)	46%	53%	39%	(43%, 50%)	46%	
Relationship between eating and mental health	55%	65%	44%	(51%, 58%)	55%	
Risks associated with unhealthy eating	51%	56%	46%	(48%, 54%)	48%	
Relationship between eating and alcohol/substance abuse	40%	44%	36%	(37%, 44%)	40%	
Healthy nutrition	73%	75%	70%	(70%, 76%)	68%	X
Healthy exercise habits	72%	74%	70%	(69%, 75%)	66%	X
Eating and body image resources available for students	46%	57%	35%	(43%, 50%)	50%	X
None of these (mutually exclusive)	3%	2%	4%	(2%, 4%)	4%	X

#### HELP-SEEKING AND SUPPORT

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>In the last 12 months, I think I needed help such as counseling or therapy for issues related to eating and/or body image.</i> Strongly agree/agree	9%	13%	4%	(7%, 11%)	9%	
<i>Over the last 12 months, have you received counseling or therapy for issues related to eating and/or body image from a health professional (such as a psychiatrist, psychologist, therapist, social worker, nutritionist, or primary care doctor)?</i> Yes	5%	7%	2%	(3%, 6%)	4%	
<i>Are you currently receiving counseling or therapy for issues related to eating and/or body image? (among students with past-year counseling or therapy)</i> Yes	40%	38%	48%	(26%, 54%)	28%	
<i>Over the last 12 months, do you think you needed help such as counseling or medication for a mental or emotional health problem (NOT directly related to eating and/or body image) such as feeling sad or stressed?</i> Yes	24%	30%	17%	(21%, 26%)	28%	X

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>Over the last 12 months, have you received treatment (counseling, therapy, or medication) for a mental or emotional health problem (NOT directly related to eating and/or body image) from a health professional (such as a psychiatrist, psychologist, social worker, or primary care doctor)?</i> Yes	16%	22%	9%	(14%, 18%)	19%	X

### OVERALL WELL-BEING AND LIFESTYLE

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>PHQ-4 depression positive</i> Positive	15%	16%	13%	(13%, 17%)	17%	
<i>PHQ-4 anxiety positive</i> Positive	24%	29%	18%	(21%, 27%)	27%	X
<i>Over the last 2 weeks, how often have you been bothered by the following problems? Feeling nervous, anxious, or on edge</i> Nearly every day/more than half the days	23%	28%	17%	(20%, 26%)	26%	X
<i>Over the last 2 weeks, how often have you been bothered by the following problems? Not being able to stop or control worrying</i> Nearly every day/more than half the days	18%	22%	13%	(15%, 20%)	20%	
<i>Over the last 2 weeks, how often have you been bothered by the following problems? Little interest or pleasure in doing things</i> Nearly every day/more than half the days	14%	14%	13%	(12%, 16%)	14%	
<i>Over the last 2 weeks, how often have you been bothered by the following problems? Feeling down, depressed, or hopeless</i> Nearly every day/more than half the days	13%	15%	10%	(10%, 15%)	14%	
<i>In the last year, did you ever seriously think about attempting suicide?</i> Yes	7%	9%	5%	(6%, 9%)	8%	



MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<i>In the last year, did you make a plan for attempting suicide? (contains embedded skip logic)</i> Yes	45%	47%	41%	(33%, 57%)	40%	
<i>In the last year, did you attempt suicide? (contains embedded skip logic)</i> Yes	9%	12%	0%	(3%, 15%)	6%	
<i>Over the last 2 weeks, did you drink any alcohol?</i> Yes	60%	61%	58%	(56%, 63%)	64%	X
<i>Over the last 2 weeks, about how many times did you have 4 (female)/5 (male)/4 or 5 (other gender) or more alcoholic drinks in a row? (contains embedded skip logic)</i> ≥1 time	60%	59%	61%	(56%, 64%)	64%	X
<i>If I know that I will be drinking alcohol, I skip meals or eat less on that day or the next day. (contains embedded skip logic)</i> Very like me/like me	8%	9%	7%	(6%, 10%)	9%	
<i>When I drink alcohol, I feel better about my body. (contains embedded skip logic)</i> Very like me/like me	4%	5%	2%	(2%, 5%)	5%	
<i>Over the last 2 weeks, about how many cigarettes did you smoke per day?</i> >0 cigarettes	8%	7%	8%	(6%, 10%)	8%	
<i>Compared to other reasons for smoking, how important is a desire to curb your appetite or control your weight? (contains embedded skip logic)</i> Very important/important	16%	17%	12%	(7%, 24%)	10%	
<i>Over the last 12 months, have you used any of the following drugs? (select all that apply)</i>						
Marijuana	21%	20%	23%	(19%, 24%)	23%	
Cocaine	2%	2%	2%	(1%, 3%)	2%	
Heroin	0%	0%	0%	(0%, 0%)	0%	
Methamphetamines	0%	0%	0%	(0%, 0%)	0%	
Other stimulants without a prescription	4%	4%	4%	(2%, 5%)	4%	
Ecstasy	1%	1%	1%	(1%, 2%)	3%	
Other drugs without a prescription	2%	2%	3%	(1%, 3%)	3%	X
No, none of these. (mutually exclusive)	76%	78%	75%	(73%, 79%)	73%	

MEASURE	ALL STUDENTS	FEMALES	MALES	95% CONFIDENCE INTERVAL	NATIONAL SAMPLE	Significantly Different from National Sample
<p><i>Over the last 12 months, have you experienced emotional, physical, or sexual abuse (either from someone you know or don't know)?</i></p> <p>Yes</p>	8%	11%	4%	(6%, 9%)	7%	